

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Dragnet SFR Termiticide/Insecticide

Version	Revision Date:	SDS Number:	Date of last issue: 06/03/2019
1.1	02/23/2026	50003162	Date of first issue: 06/03/2019

SECTION 1. IDENTIFICATION

Product identifier

Product name Dragnet SFR Termiticide/Insecticide

Other means of identification

Product code 50003162

Recommended use of the chemical and restrictions on use

Recommended use Can be used as insecticide only.

Restrictions on use Use as recommended by the label.

Manufacturer or supplier's details

Manufacturer FMC Corporation
2929 WALNUT ST
PHILADELPHIA PA 19104
USA
+1 (215) 299-6000 (Corporate)
SDS-Info@fmc.com, +1-(800)-346-0833 (FMC Cust. Service)

Supplier Address FMC Corporation
2929 Walnut Street
Philadelphia PA 19104
USA

Emergency telephone

For leak, fire, spill or accident emergencies, call:
1 800 / 424-9300 (CHEMTREC - U.S.A.)
1 703 / 741-5970 (CHEMTREC - International)
1 703 / 527-3887 (CHEMTREC - Alternate)

Medical emergency:
U.S.A. & Canada: +1 800 / 331-3148
All other countries: +1 651 / 632-6793 (Collect)

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Flammable liquids : Category 3

Acute toxicity (Oral) : Category 4

Acute toxicity (Inhalation) : Category 4

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Dragnet SFR Termiticide/Insecticide

Version 1.1 Revision Date: 02/23/2026 SDS Number: 50003162 Date of last issue: 06/03/2019
Date of first issue: 06/03/2019

Skin sensitization : Sub-category 1B

Specific target organ toxicity - single exposure : Category 2

Specific target organ toxicity - repeated exposure : Category 2

Aspiration hazard : Category 1

GHS label elements

Hazard pictograms : 

Signal Word : DANGER

Hazard Statements : H226 Flammable liquid and vapor.
H302 + H332 Harmful if swallowed or if inhaled.
H304 May be fatal if swallowed and enters airways.
H317 May cause an allergic skin reaction.
H371 May cause damage to organs.
H373 May cause damage to organs through prolonged or repeated exposure.

Precautionary Statements : **Prevention:**
P210 Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking.
P233 Keep container tightly closed.
P240 Ground/bond container and receiving equipment.
P241 Use explosion-proof electrical/ ventilating/ lighting/ equipment.
P243 Take precautionary measures against static discharge.
P260 Do not breathe mist or vapors.
P264 Wash skin thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P271 Use only outdoors or in a well-ventilated area.
P280 Wear protective gloves/ eye protection/ face protection.

Response:
P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.
P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.
P308 + P311 IF exposed or concerned: Call a POISON CENTER/ doctor.
P333 + P313 If skin irritation or rash occurs: Get medical advice/

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Dragnet SFR Termiticide/Insecticide

Version 1.1 Revision Date: 02/23/2026 SDS Number: 50003162 Date of last issue: 06/03/2019
Date of first issue: 06/03/2019

attention.

Storage:

P403 + P235 Store in a well-ventilated place. Keep cool.
P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

Very toxic to aquatic life with long lasting effects.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
permethrin (ISO)	52645-53-1	36.8
diisopropyl-1,1'-biphenyl	69009-90-1	>= 20 - < 30
Distillates (petroleum), hydro- treated light; Kerosine — unspecified	64742-47-8	>= 10 - < 20
Poly(oxy-1,2-ethanediyl), alpha-(nonylphenyl)-omega-hydroxy-, branched	68412-54-4	>= 1 - < 5
Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., calcium salts	68953-96-8	>= 1 - < 5

Actual concentration is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

General advice : Move out of dangerous area.
Show this material safety data sheet to the doctor in attendance.
Symptoms of poisoning may appear several hours later.
Do not leave the victim unattended.

If inhaled : Move to fresh air.
If unconscious, place in recovery position and seek medical advice.
If symptoms persist, call a physician.
If experiencing any discomfort, immediately remove from exposure. Light cases: Keep person under surveillance. Get medical attention immediately if symptoms develop. Serious cases: Get medical attention immediately or call for an ambulance.

In case of skin contact : Take off all contaminated clothing immediately.
Wash contaminated clothing before re-use.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Dragnet SFR Termiticide/Insecticide

Version 1.1 Revision Date: 02/23/2026 SDS Number: 50003162 Date of last issue: 06/03/2019
Date of first issue: 06/03/2019

- Wash off immediately with plenty of water for at least 15 minutes.
If skin irritation persists, call a physician.
- In case of eye contact : Flush eyes with water as a precaution.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist.
- If swallowed : Do not induce vomiting: contains petroleum distillates and/or aromatic solvents.
May be fatal if swallowed and enters airways.
Keep respiratory tract clear.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
Take victim immediately to hospital.
- Most important symptoms and effects, both acute and delayed : Harmful if swallowed or if inhaled.
May be fatal if swallowed and enters airways.
May cause an allergic skin reaction.
May cause damage to organs.
May cause damage to organs through prolonged or repeated exposure.
- Protection of first-aiders : First Aid responders should pay attention to self-protection and use the recommended protective clothing
Avoid inhalation, ingestion and contact with skin and eyes.
If potential for exposure exists refer to Section 8 for specific personal protective equipment.

SECTION 5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media : Dry chemical, CO₂, water spray or regular foam.
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Unsuitable extinguishing media : High volume water jet
Do not spread spilled material with high-pressure water streams.
- Specific hazards during fire fighting : Do not allow run-off from fire fighting to enter drains or water courses.
- Hazardous combustion products : Halogenated compounds
Carbon oxides
Nitrogen oxides (NO_x)
- Specific extinguishing methods : Remove undamaged containers from fire area if it is safe to do so.
Use a water spray to cool fully closed containers.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Dragnet SFR Termiticide/Insecticide

Version	Revision Date:	SDS Number:	Date of last issue: 06/03/2019
1.1	02/23/2026	50003162	Date of first issue: 06/03/2019

- Further information : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
- Special protective equipment for fire-fighters : Firefighters should wear protective clothing and self-contained breathing apparatus.
-

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Evacuate personnel to safe areas.
Use personal protective equipment.
If it can be safely done, stop the leak.
Do not touch or walk through the spilled material.
Never return spills in original containers for re-use.
For disposal considerations see section 13.
- Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : Never return spills in original containers for re-use.
Collect as much of the spill as possible with a suitable absorbent material.
Pick up and transfer to properly labeled containers.
Keep in suitable, closed containers for disposal.
-

SECTION 7. HANDLING AND STORAGE

- Advice on protection against fire and explosion : Do not spray on a naked flame or any incandescent material.
Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors).
Keep away from open flames, hot surfaces and sources of ignition.
- Advice on safe handling : Avoid formation of aerosol.
Do not breathe vapors/dust.
Avoid exposure - obtain special instructions before use.
Avoid contact with skin and eyes.
For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
Take precautionary measures against static discharges.
Provide sufficient air exchange and/or exhaust in work rooms.
Open drum carefully as content may be under pressure.
To avoid spills during handling keep bottle on a metal tray.
Dispose of rinse water in accordance with local and national regulations.
-

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Dragnet SFR Termiticide/Insecticide

Version 1.1 Revision Date: 02/23/2026 SDS Number: 50003162 Date of last issue: 06/03/2019
Date of first issue: 06/03/2019

Persons susceptible to skin sensitization problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.

Conditions for safe storage : No smoking.
Keep container tightly closed in a dry and well-ventilated place.
Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Observe label precautions.
Electrical installations / working materials must comply with the technological safety standards.

Further information on storage stability : No decomposition if stored and applied as directed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Distillates (petroleum), hydro-treated light; Kerosine — unspecified	64742-47-8	TWA	200 mg/m ³ (total hydrocarbon vapor)	ACGIH
		TWA (Mist)	5 mg/m ³	OSHA Z-1
		TWA (Mist)	5 mg/m ³	OSHA P0
		TWA (Mist)	5 mg/m ³	NIOSH REL
		ST (Mist)	10 mg/m ³	NIOSH REL

Personal protective equipment

Respiratory protection : In the case of dust or aerosol formation use respirator with an approved filter.

Hand protection
Material : Protective gloves

Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Eye protection : Eye wash bottle with pure water
Tightly fitting safety goggles
Wear face-shield and protective suit for abnormal processing problems.

Skin and body protection : Impervious clothing
Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Protective measures : Plan first aid action before beginning work with this product.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Dragnet SFR Termiticide/Insecticide

Version	Revision Date:	SDS Number:	Date of last issue: 06/03/2019
1.1	02/23/2026	50003162	Date of first issue: 06/03/2019

Hygiene measures : General industrial hygiene practice.
Avoid contact with skin, eyes and clothing.
Do not inhale aerosol.
When using do not eat or drink.
When using do not smoke.
Wash hands before breaks and at the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state	: liquid
Form	: liquid
Color	: amber
Odor	: hydrocarbon-like, very faint
Odor Threshold	: No data available
pH	: 7.5 (68 °F / 20 °C) Concentration: 20 g/l
Melting point/ range	: No data available
Boiling point/boiling range	: No data available
Flash point	: 108 °F / 42 °C
Evaporation rate	: No data available
Flammability (liquids)	: Sustains combustion
Self-ignition	: No data available
Upper explosion limit / Upper flammability limit	: No data available
Lower explosion limit / Lower flammability limit	: No data available
Vapor pressure	: No data available
Relative vapor density	: No data available

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Dragnet SFR Termiticide/Insecticide

Version	Revision Date:	SDS Number:	Date of last issue: 06/03/2019
1.1	02/23/2026	50003162	Date of first issue: 06/03/2019

Relative density	:	No data available
Density	:	8.66 lb/gal 1.045 g/cm ³
Solubility(ies) Water solubility	:	emulsifiable
Partition coefficient: n- octanol/water	:	No data available
Autoignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity Viscosity, dynamic	:	No data available
Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	Non-oxidizing
Molecular weight	:	Not applicable

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No decomposition if stored and applied as directed.
Chemical stability	:	No decomposition if stored and applied as directed.
Possibility of hazardous reac- tions	:	Vapors may form explosive mixture with air. No decomposition if stored and applied as directed.
Conditions to avoid	:	Avoid formation of aerosol. Avoid extreme temperatures. Heat, flames and sparks.
Incompatible materials	:	Avoid strong acids, bases, and oxidizers.
Hazardous decomposition products	:	No decomposition if stored and applied as directed.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Harmful if swallowed or if inhaled.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Dragnet SFR Termiticide/Insecticide

Version 1.1 Revision Date: 02/23/2026 SDS Number: 50003162 Date of last issue: 06/03/2019
Date of first issue: 06/03/2019

Product:

Acute oral toxicity : LD50 (Rat): 998 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 4.3 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Components:

permethrin (ISO):

Acute oral toxicity : LD50 (Rat, female): 3,129 mg/kg
Method: OECD Test Guideline 425

LD50 (Rat, female): > 2,000 mg/kg
Method: OECD Test Guideline 423
GLP: yes

Acute inhalation toxicity : LC50 (Rat, male and female): > 2.09 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403

Acute dermal toxicity : LD50 (Rabbit, male and female): > 4,000 mg/kg
Method: OECD Test Guideline 402
GLP: yes
Assessment: The substance or mixture has no acute dermal toxicity
Remarks: no mortality

diisopropyl-1,1'-biphenyl:

Acute oral toxicity : LD50 (Rat, male and female): > 5,000 mg/kg

Acute dermal toxicity : LD50 (Rabbit, male and female): > 5,000 mg/kg

Distillates (petroleum), hydro- treated light; Kerosine — unspecified:

Acute oral toxicity : LD50 (Rat, male and female): > 15,000 mg/kg
Method: OECD Test Guideline 423
Remarks: Based on data from similar materials

Acute inhalation toxicity : LC0 (Rat, male and female): > 5.28 mg/l
Exposure time: 4 h
Test atmosphere: vapor
Method: OECD Test Guideline 403
Remarks: Based on data from similar materials
no mortality

Acute dermal toxicity : LD50 (Rabbit, male and female): > 5,000 mg/kg

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Dragnet SFR Termiticide/Insecticide

Version	Revision Date:	SDS Number:	Date of last issue: 06/03/2019
1.1	02/23/2026	50003162	Date of first issue: 06/03/2019

Method: OECD Test Guideline 402
Remarks: Based on data from similar materials

Poly(oxy-1,2-ethanediyl), alpha-(nonylphenyl)-omega-hydroxy-, branched:

Acute oral toxicity : LD50 (Rat, male and female): 1,980 mg/kg

Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., calcium salts:

Acute oral toxicity : LD0 (Rat, male and female): > 2,000 mg/kg
Method: OECD Test Guideline 401
Remarks: no mortality

Acute dermal toxicity : LD50 (Rat, male and female): > 1,000 - 1,600 mg/kg
Method: OECD Test Guideline 402

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Product:

Assessment : Not classified as irritant
Result : slight or no skin irritation.

Components:

permethrin (ISO):

Species : Rabbit
Method : OECD Test Guideline 404
Result : slight irritation
GLP : yes

diisopropyl-1,1'-biphenyl:

Species : Rabbit
Result : Skin irritation

Distillates (petroleum), hydro- treated light; Kerosine — unspecified:

Assessment : Repeated exposure may cause skin dryness or cracking.

Poly(oxy-1,2-ethanediyl), alpha-(nonylphenyl)-omega-hydroxy-, branched:

Species : Rabbit
Method : Draize Test
Result : Skin irritation

Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., calcium salts:

Species : Rabbit
Result : Skin irritation

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Dragnet SFR Termiticide/Insecticide

Version 1.1 Revision Date: 02/23/2026 SDS Number: 50003162 Date of last issue: 06/03/2019
Date of first issue: 06/03/2019

Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

Product:

Result : Slight or no eye irritation
Assessment : Not classified as irritant

Components:

permethrin (ISO):

Species : Rabbit
Result : slight irritation
Method : OECD Test Guideline 405

Species : Rabbit
Result : slight irritation
Method : OECD Test Guideline 405
GLP : yes

diisopropyl-1,1'-biphenyl:

Species : Rabbit
Result : No eye irritation

Distillates (petroleum), hydro- treated light; Kerosine — unspecified:

Species : Rabbit
Result : No eye irritation
Method : OECD Test Guideline 405

Poly(oxy-1,2-ethanediyl), alpha-(nonylphenyl)-omega-hydroxy-, branched:

Species : Rabbit
Result : Irreversible effects on the eye
Method : Draize Test

Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., calcium salts:

Species : Rabbit
Result : Irreversible effects on the eye

Respiratory or skin sensitization

Skin sensitization

May cause an allergic skin reaction.

Respiratory sensitization

Based on available data, the classification criteria are not met.

Product:

Result : Probability or evidence of low to moderate skin sensitization rate in humans

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Dragnet SFR Termiticide/Insecticide

Version 1.1 Revision Date: 02/23/2026 SDS Number: 50003162 Date of last issue: 06/03/2019
Date of first issue: 06/03/2019

Remarks : Causes sensitization.

Components:

permethrin (ISO):

Test Type : Buehler Test
Routes of exposure : Skin contact
Species : Guinea pig
Method : OECD Test Guideline 406
Result : Not a skin sensitizer.

diisopropyl-1,1'-biphenyl:

Test Type : Maximization Test
Species : Guinea pig
Method : OECD Test Guideline 406
Result : Does not cause skin sensitization.

Distillates (petroleum), hydro- treated light; Kerosine — unspecified:

Test Type : Maximization Test
Routes of exposure : Intradermal
Species : Guinea pig
Result : Does not cause skin sensitization.
Remarks : Based on data from similar materials

Poly(oxy-1,2-ethanediyl), alpha-(nonylphenyl)-omega-hydroxy-, branched:

Test Type : Magnussen-Kligman test
Species : Guinea pig
Result : Does not cause skin sensitization.

Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., calcium salts:

Test Type : Maximization Test
Species : Guinea pig
Method : OECD Test Guideline 406
Result : Does not cause skin sensitization.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Components:

permethrin (ISO):

Genotoxicity in vitro : Test Type: Ames test
Result: negative

Test Type: Mouse lymphoma assay
Result: negative

Genotoxicity in vivo : Test Type: dominant lethal test
Species: Mouse (male)

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Dragnet SFR Termiticide/Insecticide

Version	Revision Date:	SDS Number:	Date of last issue: 06/03/2019
1.1	02/23/2026	50003162	Date of first issue: 06/03/2019

Result: negative

Test Type: Sex-linked Recessive Lethal Test
Species: Drosophila melanogaster (vinegar fly)
Result: negative

diisopropyl-1,1'-biphenyl:

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test
Method: OECD Test Guideline 476
Result: negative

Test Type: reverse mutation assay
Method: OECD Test Guideline 471
Result: negative

Test Type: Chromosome aberration test in vitro
Method: OECD Test Guideline 473
Result: negative

Distillates (petroleum), hydro- treated light; Kerosine — unspecified:

Genotoxicity in vitro : Test Type: reverse mutation assay
Method: OECD Test Guideline 471
Result: negative
Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Mouse (male and female)
Application Route: Intraperitoneal injection
Result: negative
Remarks: Based on data from similar materials

Poly(oxy-1,2-ethanediyl), alpha-(nonylphenyl)-omega-hydroxy-, branched:

Genotoxicity in vitro : Test Type: reverse mutation assay
Method: OECD Test Guideline 471
Result: negative

Test Type: gene mutation test
Method: OECD Test Guideline 476
Result: negative

Test Type: Chromosome aberration test in vitro
Method: OECD Test Guideline 473
Result: negative

Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., calcium salts:

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test
Result: negative
Remarks: Based on data from similar materials

Test Type: reverse mutation assay

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Dragnet SFR Termiticide/Insecticide

Version 1.1 Revision Date: 02/23/2026 SDS Number: 50003162 Date of last issue: 06/03/2019
Date of first issue: 06/03/2019

Method: Mutagenicity (Salmonella typhimurium - reverse mutation assay)
Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Mouse (male and female)
Application Route: Oral
Result: negative
Remarks: Based on data from similar materials

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

Carcinogenicity

Based on available data, the classification criteria are not met.

Components:

permethrin (ISO):

Species : Rat
Application Route : Oral
Exposure time : 2 Years
Result : negative

Species : Mouse
Application Route : Oral
Exposure time : 2 Years
Result : negative

Remarks : Likely to be carcinogenic to humans (US EPA)

Distillates (petroleum), hydro- treated light; Kerosine — unspecified:

Species : Rat, male
Application Route : inhalation (vapor)
Exposure time : 105 weeks
NOAEC : 0.138 mg/l
Result : positive
Remarks : Based on data from similar materials

Carcinogenicity - Assessment : The observed tumors do not appear to be relevant for men.

Poly(oxy-1,2-ethanediyl), alpha-(nonylphenyl)-omega-hydroxy-, branched:

Carcinogenicity - Assessment : Weight of evidence does not support classification as a carcinogen

IARC No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Dragnet SFR Termiticide/Insecticide

Version	Revision Date:	SDS Number:	Date of last issue: 06/03/2019
1.1	02/23/2026	50003162	Date of first issue: 06/03/2019

Symptoms: Fetal abnormalities.
Result: negative
Remarks: Based on data from similar materials

Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., calcium salts:

Effects on fertility : Test Type: Three-generation study
Species: Rat, male and female
Application Route: Oral
Dose: 14, 70, 350 mg/kg bw d
General Toxicity Parent: NOAEL: 350 mg/kg body weight
General Toxicity F1: NOAEL: 350 mg/kg bw/day
General Toxicity F2: NOAEL: 350 mg/kg bw/day
Result: negative
Remarks: Based on data from similar materials

Effects on fetal development : Test Type: reproductive and developmental toxicity study
Species: Rat
Application Route: Oral
Dose: 0.2, 2.0, 300 and 600 mg/kg
Duration of Single Treatment: 20 d
General Toxicity Maternal: LOAEL: 600 mg/kg body weight
Teratogenicity: LOAEL: 600 mg/kg bw/day
Result: negative
Remarks: Based on data from similar materials

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

STOT-single exposure

May cause damage to organs.

Product:

Assessment : The substance or mixture is classified as specific target organ toxicant, single exposure, category 2.

Components:

Poly(oxy-1,2-ethanediyl), alpha-(nonylphenyl)-omega-hydroxy-, branched:

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., calcium salts:

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

STOT-repeated exposure

May cause damage to organs through prolonged or repeated exposure.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Dragnet SFR Termiticide/Insecticide

Version 1.1 Revision Date: 02/23/2026 SDS Number: 50003162 Date of last issue: 06/03/2019
Date of first issue: 06/03/2019

Product:

Assessment : The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 2.

Components:

permethrin (ISO):

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Distillates (petroleum), hydro- treated light; Kerosine — unspecified:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Poly(oxy-1,2-ethanediyl), alpha-(nonylphenyl)-omega-hydroxy-, branched:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Repeated dose toxicity

Components:

permethrin (ISO):

Species : Rat
NOAEL : 20 mg/kg
Application Route : Oral - feed
Exposure time : 90 days
Symptoms : Liver effects

Species : Dog, male and female
NOEL : 10 mg/kg bw/day
Application Route : Oral
Exposure time : 90 d
Dose : 5, 50, 500 mg/kg bw/day
Target Organs : Liver
Symptoms : Tremors

Species : Rat
NOEL : 250 ppm
Application Route : Oral
Exposure time : 13 w
Dose : 0, 250, 1500, 2500 ppm
Symptoms : Tremors

Species : Rat
NOEL : 150 mg/kg bw/day
Application Route : Oral
Exposure time : 14 d
Dose : 0, 10, 150, 300 mg/kg bw/day
Symptoms : Tremors

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Dragnet SFR Termiticide/Insecticide

Version	Revision Date:	SDS Number:	Date of last issue: 06/03/2019
1.1	02/23/2026	50003162	Date of first issue: 06/03/2019

Distillates (petroleum), hydro- treated light; Kerosine — unspecified:

Species	: Rat
NOAEL	: >= 200 ppm
Application Route	: inhalation (vapor)
Exposure time	: 13 weeks
Remarks	: Based on data from similar materials

Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., calcium salts:

Species	: Rat, male and female
NOAEL	: 40 mg/kg bw/day
LOAEL	: 115 mg/kg bw/day
Application Route	: Oral - feed
Exposure time	: 6 months
Dose	: 40, 115, 340, 1030 mg/kg bw d
Remarks	: Based on data from similar materials

Aspiration toxicity

May be fatal if swallowed and enters airways.

Product:

May be fatal if swallowed and enters airways.

Components:

permethrin (ISO):

No data available

diisopropyl-1,1'-biphenyl:

May be fatal if swallowed and enters airways.

Distillates (petroleum), hydro- treated light; Kerosine — unspecified:

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

Neurological effects

Components:

permethrin (ISO):

Neurotoxicity observed in animals studies

Further information

Product:

Remarks : Solvents may degrease the skin.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Dragnet SFR Termiticide/Insecticide

Version 1.1 Revision Date: 02/23/2026 SDS Number: 50003162 Date of last issue: 06/03/2019
Date of first issue: 06/03/2019

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

permethrin (ISO):

- Toxicity to fish : LC50 (Fish): 5.3 mg/l
Exposure time: 96 h
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Crustaceans): 0.001 mg/l
Exposure time: 48 h
- Toxicity to algae/aquatic plants : EC50 (algae): 0.0125 mg/l
Exposure time: 72 h
- NOEC (algae): 0.9 µg/l
Exposure time: 96 h
- Toxicity to fish (Chronic toxicity) : NOEC (Fish): 0.3 µg/l
Exposure time: 21 d
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Crustaceans): 0.039 µg/l
Exposure time: 21 d

diisopropyl-1,1'-biphenyl:

- Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 8.24 µg/l
Exposure time: 96 h
Test Type: flow-through test
Remarks: No toxicity at the limit of solubility.
Based on data from similar materials
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 4.52 µg/l
Exposure time: 48 h
Test Type: flow-through test
Method: OECD Test Guideline 202
Remarks: No toxicity at the limit of solubility.
Based on data from similar materials
- Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): > 10.1 µg/l
Exposure time: 72 h
Test Type: static test
Method: OECD Test Guideline 201
Remarks: No toxicity at the limit of solubility.
Based on data from similar materials

Ecotoxicology Assessment

- Chronic aquatic toxicity : May cause long lasting harmful effects to aquatic life.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Dragnet SFR Termiticide/Insecticide

Version 1.1 Revision Date: 02/23/2026 SDS Number: 50003162 Date of last issue: 06/03/2019
Date of first issue: 06/03/2019

Distillates (petroleum), hydro- treated light; Kerosine — unspecified:

Toxicity to fish : LL50 (Oncorhynchus mykiss (rainbow trout)): > 1,000 mg/l
Exposure time: 96 h
Test Type: semi-static test
Remarks: water accommodated fractions (WAF)

Toxicity to daphnia and other aquatic invertebrates : LL50 (Daphnia magna (Water flea)): > 10,000 mg/l
Exposure time: 48 h
Test Type: static test
Remarks: water accommodated fractions (WAF)

Toxicity to algae/aquatic plants : NOELR (Pseudokirchneriella subcapitata (green algae)): > 1,000 mg/l
Exposure time: 72 h
Test Type: static test
Method: OECD Test Guideline 201

EL50 (Pseudokirchneriella subcapitata (green algae)): > 1,000 mg/l
Exposure time: 72 h
Test Type: static test
Method: OECD Test Guideline 201

Toxicity to fish (Chronic toxicity) : NOELR (Oncorhynchus mykiss (rainbow trout)): 0.173 mg/l
Exposure time: 28 d
Method: QSAR
Remarks: No toxicity at the limit of solubility.
water accommodated fractions (WAF)

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOELR (Daphnia magna (Water flea)): 1.22 mg/l
Exposure time: 21 d
Method: QSAR
Remarks: No toxicity at the limit of solubility.
water accommodated fractions (WAF)

Toxicity to microorganisms : EL50 (Tetrahymena pyriformis): > 1,000 mg/l
Exposure time: 48 h
Method: QSAR

Poly(oxy-1,2-ethanediyl), alpha-(nonylphenyl)-omega-hydroxy-, branched:

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 7.9 mg/l
Exposure time: 96 h

Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., calcium salts:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): 31.6 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 62 mg/l

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Dragnet SFR Termiticide/Insecticide

Version 1.1 Revision Date: 02/23/2026 SDS Number: 50003162 Date of last issue: 06/03/2019
Date of first issue: 06/03/2019

aquatic invertebrates		Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	:	EC50 (Pseudokirchneriella subcapitata (green algae)): 29 mg/l Exposure time: 96 h Remarks: Based on data from similar materials NOEC (Pseudokirchneriella subcapitata (green algae)): 0.5 mg/l Exposure time: 96 h Remarks: Based on data from similar materials
Toxicity to fish (Chronic toxicity)	:	NOEC (Oncorhynchus mykiss (rainbow trout)): 0.23 mg/l Exposure time: 72 d Test Type: flow-through test Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Daphnia magna (Water flea)): 1.18 mg/l Exposure time: 21 d Test Type: flow-through test Remarks: Based on data from similar materials
Toxicity to microorganisms	:	EC50 (activated sludge): 550 mg/l Exposure time: 3 h Method: OECD Test Guideline 209
Toxicity to soil dwelling organisms	:	NOEC (Eisenia fetida (earthworms)): 250 mg/kg Exposure time: 14 d Method: OECD Test Guideline 207 Remarks: Based on data from similar materials LC50 (Eisenia fetida (earthworms)): > 1,000 mg/kg Exposure time: 14 d Method: OECD Test Guideline 207 Remarks: Based on data from similar materials
Plant toxicity	:	EC50: 167 mg/kg Exposure time: 21 d Species: Sorghum bicolor (sorghum) 80 mg/kg Exposure time: 14 d Species: Avena sativa (oats)
Toxicity to terrestrial organisms	:	EC10 (Hypoaspis aculeifer): 82 mg/kg Exposure time: 21 d Remarks: Information given is based on data obtained from similar substances.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Dragnet SFR Termiticide/Insecticide

Version 1.1 Revision Date: 02/23/2026 SDS Number: 50003162 Date of last issue: 06/03/2019
Date of first issue: 06/03/2019

Persistence and degradability

Components:

permethrin (ISO):

Biodegradability : Result: Not readily biodegradable.

diisopropyl-1,1'-biphenyl:

Biodegradability : Inoculum: activated sludge, non-adapted
Result: Not rapidly biodegradable
Biodegradation: 67 %
Exposure time: 43 d
Method: OECD Test Guideline 310
Remarks: Based on data from similar materials

Distillates (petroleum), hydro- treated light; Kerosine — unspecified:

Biodegradability : Concentration: 50 mg/l
Result: Readily biodegradable.
Biodegradation: 89.9 %
Exposure time: 28 d
Method: OECD Test Guideline 301

Poly(oxy-1,2-ethanediyl), alpha-(nonylphenyl)-omega-hydroxy-, branched:

Biodegradability : Result: Not readily biodegradable.
Remarks: Based on data from similar materials

Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., calcium salts:

Biodegradability : Inoculum: activated sludge, non-adapted
Result: Not readily biodegradable.
Biodegradation: 2.9 %
Exposure time: 28 d
Method: OECD Test Guideline 301E

Result: Inherently biodegradable.
Biodegradation: > 35 - 45 %
Exposure time: 10 d

Bioaccumulative potential

Product:

Bioaccumulation : Remarks: No data available

Components:

permethrin (ISO):

Bioaccumulation : Remarks: The product may be accumulated in organisms.

Partition coefficient: n-octanol/water : Pow: > 4.49
Remarks: No data available

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Dragnet SFR Termiticide/Insecticide

Version	Revision Date:	SDS Number:	Date of last issue: 06/03/2019
1.1	02/23/2026	50003162	Date of first issue: 06/03/2019

diisopropyl-1,1'-biphenyl:

Bioaccumulation : Species: Cyprinus carpio (Carp)
Bioconcentration factor (BCF): 1,310 - 3,930
Exposure time: 8 Weeks
Method: OECD Test Guideline 305C
Remarks: Based on data from similar materials

Partition coefficient: n-octanol/water : log Pow: 6.67

Distillates (petroleum), hydro- treated light; Kerosine — unspecified:

Bioaccumulation : Bioconcentration factor (BCF): 144.3
Method: QSAR

Poly(oxy-1,2-ethanediyl), alpha-(nonylphenyl)-omega-hydroxy-, branched:

Bioaccumulation : Remarks: Bioaccumulation is unlikely.
Based on data from similar materials

Partition coefficient: n-octanol/water : log Pow: 5.39 (68 °F / 20 °C)

Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., calcium salts:

Bioaccumulation : Bioconcentration factor (BCF): 3.16
Method: QSAR

Partition coefficient: n-octanol/water : log Pow: 4.595 (68 °F / 20 °C)

Mobility in soil

Components:

permethrin (ISO):

Distribution among environmental compartments : Remarks: immobile

Other adverse effects

Product:

Ozone-Depletion Potential : Regulation: 40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances
Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Dragnet SFR Termiticide/Insecticide

Version	Revision Date:	SDS Number:	Date of last issue: 06/03/2019
1.1	02/23/2026	50003162	Date of first issue: 06/03/2019

Very toxic to aquatic life with long lasting effects.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : The product should not be allowed to enter drains, water courses or the soil.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Send to a licensed waste management company.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 1993
Proper shipping name : FLAMMABLE LIQUID, N.O.S.
(Aromatic hydrocarbons, C10, Permethrin)
Class : 3
Packing group : III
Labels : 3
Environmentally hazardous : yes

IATA-DGR

UN/ID No. : UN 1993
Proper shipping name : Flammable liquid, n.o.s.
(Aromatic hydrocarbons, C10, Permethrin)
Class : 3
Packing group : III
Labels : Flammable Liquids
Packing instruction (cargo aircraft) : 366
Packing instruction (passenger aircraft) : 355
Environmentally hazardous : yes

IMDG-Code

UN number : UN 1993
Proper shipping name : FLAMMABLE LIQUID, N.O.S.
(Aromatic hydrocarbons, C10, Permethrin)
Class : 3
Packing group : III
Labels : 3
EmS Code : F-E, S-E
Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Dragnet SFR Termiticide/Insecticide

Version 1.1 Revision Date: 02/23/2026 SDS Number: 50003162 Date of last issue: 06/03/2019
Date of first issue: 06/03/2019

49 CFR Road

UN/ID/NA number : UN 1993
Proper shipping name : Flammable liquids, n.o.s.
(Aromatic hydrocarbons, C10, Permethrin)
Class : 3
Packing group : III
Labels : FLAMMABLE LIQUID
ERG Code : 128
Marine pollutant : yes

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
2-methylpropan-1-ol	78-83-1	100	100 (F005)

SARA 304 Extremely Hazardous Substances Reportable Quantity

Listed substances in the product are at low enough levels to not be expected to exceed the RQ

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : No SARA Hazards

SARA 313 : The following components are subject to reporting levels established by SARA Title III, Section 313:

permethrin (ISO) 52645-53-1 >= 30 - < 50 %

Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCM I Intermediate or Final VOC's (40 CFR 60.489).

Clean Water Act

The following Hazardous Substances are listed under the U.S. CleanWater Act, Section 311, Table 116.4A:

propylene oxide 75-56-9 >= 0 - < 0.1 %

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Dragnet SFR Termiticide/Insecticide

Version	Revision Date:	SDS Number:	Date of last issue: 06/03/2019
1.1	02/23/2026	50003162	Date of first issue: 06/03/2019

The following Hazardous Chemicals are listed under the U.S. CleanWater Act, Section 311, Table 117.3:

propylene oxide	75-56-9	>= 0 - < 0.1 %
-----------------	---------	----------------

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

This product does not contain any priority pollutants related to the U.S. Clean Water Act

US State Regulations

Massachusetts Right To Know

permethrin (ISO)	52645-53-1
Distillates (petroleum), hydro- treated light; Kerosine — unspecified	64742-47-8
ethylene oxide	75-21-8
propylene oxide	75-56-9

Pennsylvania Right To Know

permethrin (ISO)	52645-53-1
diisopropyl-1,1'-biphenyl	69009-90-1
Distillates (petroleum), hydro- treated light; Kerosine — unspecified	64742-47-8
triacetin	102-76-1
Poly(oxy-1,2-ethanediyl), alpha-(nonylphenyl)-omega-hydroxy-, branched	68412-54-4
2-methylpropan-1-ol	78-83-1

Maine Chemicals of High Concern

Product does not contain any listed chemicals

Vermont Chemicals of High Concern

Product does not contain any listed chemicals

Washington Chemicals of High Concern

Product does not contain any listed chemicals

California Prop. 65

WARNING: This product can expose you to chemicals including Distillates (petroleum), hydro-treated light; Kerosine — unspecified, ethylene oxide, propylene oxide, which is/are known to the State of California to cause cancer, and ethylene oxide, which is/are known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

California List of Hazardous Substances

Distillates (petroleum), hydro- treated light; Kerosine — unspecified	64742-47-8
---	------------

California Permissible Exposure Limits for Chemical Contaminants

Distillates (petroleum), hydro- treated light; Kerosine — unspecified	64742-47-8
---	------------

The ingredients of this product are reported in the following inventories:

TCSI : On the inventory, or in compliance with the inventory

TSCA : Product contains substance(s) not listed on TSCA inventory.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Dragnet SFR Termiticide/Insecticide

Version	Revision Date:	SDS Number:	Date of last issue: 06/03/2019
1.1	02/23/2026	50003162	Date of first issue: 06/03/2019

AIIC : Not in compliance with the inventory

DSL : This product contains chemical substance(s) exempt from CEPA DSL Inventory requirements. It is regulated as a pesticide subject to Pest Control Products Act (PCPA) requirements. Read the PCPA label, authorized under the Pest Control Products Act, prior to using or handling this pest control product.

ENCS : Not in compliance with the inventory

ISHL : Not in compliance with the inventory

KECI : Not in compliance with the inventory

PICCS : Not in compliance with the inventory

IECSC : On the inventory, or in compliance with the inventory

NZIoC : Not in compliance with the inventory

TECI : Not in compliance with the inventory

TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

FIFRA information

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

CAUTION

Harmful if swallowed, Harmful if absorbed through the skin., Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals., This pesticide is extremely toxic to fish and aquatic invertebrates.

SECTION 16. OTHER INFORMATION

Further information

SAFETY DATA SHEET


according to the OSHA Hazard Communication Standard



Dragnet SFR Termiticide/Insecticide

Version 1.1 Revision Date: 02/23/2026 SDS Number: 50003162 Date of last issue: 06/03/2019
Date of first issue: 06/03/2019

NFPA 704:



0 No health threat, 1 Slightly Hazardous, 2 Hazardous, 3 Extreme danger, 4 Deadly

HMIS® IV:

HEALTH	*	3
FLAMMABILITY		2
PHYSICAL HAZARD		0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

- ACGIH : USA. ACGIH Threshold Limit Values (TLV)
- NIOSH REL : USA. NIOSH Recommended Exposure Limits
- OSHA P0 : USA. Table Z-1-A Limits for Air Contaminants (1989 vacated values)
- OSHA Z-1 : USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
- ACGIH / TWA : 8-hour, time-weighted average
- NIOSH REL / TWA : Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
- NIOSH REL / ST : STEL - 15-minute TWA exposure that should not be exceeded at any time during a workday
- OSHA P0 / TWA : 8-hour time weighted average
- OSHA Z-1 / TWA : 8-hour time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI -

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Dragnet SFR Termiticide/Insecticide

Version	Revision Date:	SDS Number:	Date of last issue: 06/03/2019
1.1	02/23/2026	50003162	Date of first issue: 06/03/2019

Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to insure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

US / EN

Prepared by:

FMC Corporation

FMC and the FMC Logo are trademarks of FMC Corporation and/or an affiliate.

© 2021-2026 FMC Corporation. All Rights Reserved.

End of Safety Data Sheet